


Maltose binding protein


ZFP


ں



The state of the s

Figure 3










Figure 3




Figure 4




Figure 5




Figure 6




Figure 7





Figure 7






FIG. 8





FIG. 9


Activation of Human VEGF-A Gene By ZFPs in 293 Cells (VEGF-A protein production detected by ELISA)







Activation of Human VEGF-A Gene Promoter by ZFPs (Activation of VEGF Reporter in 293 cells)



VEGF Activation By ZFP VOP28A and RAT24A in 293 Cells (VEGF protein detected by ELISA)





Figure 14





(1)



VEGF-C mRNA Activation by ZFPs








ZFP Name	Target		Finger Designs	
	Sequence 5' - 3'	Subsites 5 - 3'	4123458	
ъV2+57	TSAGCGGCGGCAGCGGAG	TGAG GCGG GCGG GCAG GCGG GCAG GCGG	OSGHLTK RSDELSR RSDELTR OSGSLTR RSDELQR RSDNLAR	26 25 24 23 22 21
mV2+426	GGGGTGAC=	GGGq GGTq GAC=	RSDHLSR TSGHLVR DRSNLTR	F3 F2 F1
mV2+509	GCTGGGGGCq	GCTg GGCg GGCg	QSSDLTR RSDHLTR DRSHLTR	F3 F2 F1

D	ZFP	Target	Gel Shift	Gel Shift	
	mVZ+57	TGAGCGGCGGCAGCGGAGC		Bound Free	0.031
	mVZ+426	GGGGGTGACc	The second substitutes we	Bound Free	<0.01
	mVZ+50 <del>9</del>	GCTGGGGGCg		Bound Free	<0.01
	SP1	GGGGCGGGGg	مالىخىدىت. يىسلىلىداليوسىچالىدا	Bound Free	0.053

Figure 16






FIG. ITA




FIG. 17B




FIG. I7C




FIG. 17 D




FIG. 18





FIG. 18 E







FIG. 19C



VEGF-ZFP (MVG)

FIG. 20A



FIG. 20B




FIG. 21 A

F1G. 21 B




FIG. 21C